

P400.air porte scorrevoli



Custom-made complete aluminium and glass finishing sliding doors' system in two versions:


- _wall fixing
- _ceiling fixing

Tempered glass doors 8mm thick with double handle

TRACK

Finishing: _aluminium silver anodised
_enamelled with extra

With 1 or 2 sliding rails, realized in wall or ceiling version



single track ceiling and wall


double track ceiling

SLIDING ROLLERS

Made of die-cast zinc alloy with nylon castors

To which the sliding doors are anchored by means of antislip elastomeric gaskets

The sliding mechanisms can be adjusted in height; they are equipped with a Soft opening and closing device



fixing trucks door

housing door with the trolley and fixed panel to the track



floor guide



stopping device for sliding doors

WARNINGS:

- _the installation must be made by skilled installers. It is the client's responsibility to evaluate the structural characteristics of the walls and ceiling in order to choose the most suitable installation system
- _the standard hardware supplied may be inappropriate in some situations
- _each order is produced following the customer's instructions bearing in mind the weight and size limitations of the product
- _it is not possible to use different types of doors./fixed panels on the same track
- _our technical department will evaluate the feasibility of any custom closet you order based on its compatibility with the technical characteristics of our programs and make an estimate of possible exceptional surcharges
- _the ceiling or the support to which the track is attached must be solid and not flexible in order not to compromise the functioning of the mechanism
- _the track filler must be accessible from the front; in the double track version it must be accessible from both sides.

P400.air porte scorrevoli


COMP.10

Comp.10A



until 100cm

Comp.10B



until 100cm

Comp.10C



until 120cm

Comp.10D



until 120cm

Finishing: _aluminium silver anodised
_enamelled


Complete compositions and include:

_glass door with handle
_one or two sliding rails
_trucks
_stopping device for sliding doors
_floor guide-pivot pin

Glass:

_transparent cat.A
_extralight cat.P
_transparent fumè-bronze cat.Q
_sandblasted natural cat.B
_sandblasted grey-bronze cat.C
_coloured cat.D/E shiny or in glazed antiprint version
_sandblasted extralight cat.S
_coloured extralight stratified cat.H

FINISHING - METAL



DOOR - 8mm

GLASS CAT.A



GLASS CAT.P



GLASS CAT.Q



GLASS CAT.B



GLASS CAT.C



GLASS CAT.S



GLASS CAT.D covering shiny version or glazed antiprint version




GLASS CAT.E extralight covering shiny version or glazed antiprint version




GLASS CAT.H coloured extralight stratified

OPTIONALS



P400.air porte scorrevoli

COMP.11



Finishing: _aluminium silver anodised
_enamelled


Complete compositions and include:

_glass door with handle
_one or two sliding rails
_trucks
_stopping device for sliding doors
_floor guide-pivot pin

Glass:

_transparent cat.A
_extralight cat.P
_transparent fumè-bronze cat.Q
_sandblasted natural cat.B
_sandblasted grey-bronze cat.C
_coloured cat.D/E shiny or in glazed antiprint version
_sandblasted extralight cat.S
_coloured extralight stratified cat.H

FINISHING - METAL



DOOR - 8mm GLASS CAT.A



GLASS CAT.P



GLASS CAT.Q



GLASS CAT.B



GLASS CAT.C



GLASS CAT.S



GLASS CAT.D covering shiny version or glazed antiprint version




GLASS CAT.E extralight covering shiny version or glazed antiprint version



GLASS CAT.H coloured extralight stratified


OPTIONALS



P400.air porte scorrevoli


COMP.12

Comp.12A




until 100cm

Comp.12B




until 100cm

Comp.12C



until 120cm

Comp.12D



until 120cm

Finishing: _aluminium silver anodised
_enamelled


Complete compositions and include:

_glass door with handle
_one or two sliding rails
_trucks
_stopping device for sliding doors
_floor guide-pivot pin

Glass:

_transparent cat.A
_extralight cat.P
_transparent fumè-bronze cat.Q
_sandblasted natural cat.B
_sandblasted grey-bronze cat.C
_coloured cat.D/E shiny or in glazed antiprint version
_sandblasted extralight cat.S
_coloured extralight stratified cat.H

FINISHING - METAL



DOOR - 8mm

GLASS CAT.A



GLASS CAT.P



GLASS CAT.Q



GLASS CAT.B



GLASS CAT.C



GLASS CAT.S



GLASS CAT.D covering shiny version or glazed antiprint version



GLASS CAT.E extralight covering shiny version or glazed antiprint version



GLASS CAT.H coloured extralight stratified


OPTIONALS



P400.air porte scorrevoli


COMP.13

Comp.13A




until 100cm

Comp.13B




until 120cm



until 100cm

until 290cm

Comp.13C



until 120cm

Finishing: _aluminium silver anodised
_enamelled

Complete compositions and include:

- _glass door with handle
- _one or two sliding rails
- _trucks
- _stopping device for sliding doors
- _floor guide-pivot pin

Glass:

- _transparent cat.A
- _extralight cat.P
- _transparent fumè-bronze cat.Q
- _sandblasted natural cat.B
- _sandblasted grey-bronze cat.C
- _coloured cat.D/E shiny or in glazed antiprint version
- _sandblasted extralight cat.S
- _coloured extralight stratified cat.H

FINISHING - METAL



DOOR - 8mm

GLASS CAT.A



GLASS CAT.P



GLASS CAT.Q



GLASS CAT.B



GLASS CAT.C



GLASS CAT.S



GLASS CAT.D covering shiny version or glazed antiprint version



GLASS CAT.E extralight covering shiny version or glazed antiprint version



GLASS CAT.H coloured extralight stratified

OPTIONALS



rails painted

line decorum

RAL colour